



### **Test and Measurement Performance Report**

**Part Number** TMB-E8F2-1L1 (1.85mm Edge Launch Solderless Precision Connector) **Distribution**: *Internal & External Use* 



SI Performance Summary (Attenuation & Reflections, Single-Ended)



\* 10 connectors are shown, measured in pairs. (5 measurements) For further details regarding testing setup, configurations please see the rest of the report.

<u>REVISION:</u>	ECN_INFORMATION: EC No: N/A DATE: 04/ 07 / 2020	TITLE: 1.85mm Edge Launch, Solderless Precision Connector (TMB-E8F2-1L1) CARLISLE IT CONFIDENTIAL			<u>SHEET No.</u> <b>1</b> of <b>10</b>
DOCUMENT NUMBER:		SI ENGINEER:	DESIGN ENGINEER	ENGINEERING MANAGER	
RSI-TMB-E8F2-1L1_01		R.Stavoli	P. Volkov	E.Soubh	
TEMPLATE FILENAME: SPM[SIZE_A](V.1).DOC					/[SIZE_A](V.1).DOC




### 1.0 TEST SETUP AND DUT

### Equipment, fixtures, and methods

Test method: All data measured from test PCB shown below and a N5227A PNA Network Analyzer

- Calibration was performed up to the 1.
  85mm adapters using calibration kit:
  85058B
- Data was swept from 10 MHz to 67GHz for 6700 points
- Data averaging was turned off.
- Data is not dembedded and includes the board trace/transition and two RF edge launch precision connectors




### Assembly Description T&M PN: TMB-E8F2-1L1 • Carlisle DUT PCB: Edge Launch Precision **Connector Test Board** (Rev A) Industry Leading Supplier Edge Launch 41 B-PCB (B4003-8M-50) w=17 tw=10 tw=50 Port 1: 1.85mm edge mount 8 MIL 4003 Port 2: 1.85mm edge mount **Testing Samples:** 10 Samples 5 THRU Measurements (5 Channels = 10 samples) -> -Single-Ended • 5 Channels TITLE: **REVISION:** ECN INFORMATION: SHEET No. 1.85mm Edge Launch, Solderless EC No: N/A Precision Connector (TMB-E8F2-1L1) 1 2 of 10 CARLISLE IT CONFIDENTIAL DATE: 04/07/2020 DOCUMENT NUMBER: SI ENGINEER: DESIGN ENGINEER ENGINEERING MANAGER **RSI-TMB-E8F2-1L1 01 R.Stavoli** P. Volkov E.Soubh TEMPLATE FILENAME: SPM[SIZE\_A](V.1).DOC



### 2.0 BOARD DETAILS & STACKUP

.


- <u>Carlisle Edge Launch Precision Connector Test Board</u>
  - o Revision A, Coplanar Waveguide
  - Copper (traces, pads, ground) not all the way to the edge of the board
  - Dielectric Material: Megtron6 (Dk.3.41, Df 0.004 @ 12Ghz)
    - Thickness: 0.457mm / 18 mil



- Industry Leading Supplier Edge LaunchTest Board , B4003-8M-50
  O Microstrip
- Dielectric Material: Rodgers 4003 (Dk. 3.38, Df 0.0027 @ 10Ghz)
  - Thickness: 0.2032mm / 8 mil



<u>REVISION:</u>	ECN INFORMATION: EC No: N/A DATE: 04/ 07 / 2020	TITLE: 1.85mm Edge Launch, Solderless Precision Connector (TMB-E8F2-1L1) CARLISLE IT CONFIDENTIAL			<u>SHEET No.</u> <b>3</b> of <b>10</b>
DOCUMENT NUMBER:		SI ENGINEER:	DESIGN ENGINEER	ENGINEERING MANAGER	
RSI-TMB-E8F2-1L1_01		R.Stavoli	P. Volkov	E.Soubh	
			TEMPLATE FILENAME: SPM[SIZE_A](V.1).DOC		




Measurements are not dembedded and include the two 1.85mm edge launch precision connectors, and the PCB (transition, traces)

REVISION: 1	ECN INFORMATION:        EC No:      N/A        DATE:      04/ 07 / 2020	TITLE: 1.85mm Edge Launch, Solderless Precision Connector (TMB-E8F2-1L1) CARLISLE IT CONFIDENTIAL			<u>SHEET No.</u> <b>4</b> of <b>10</b>
DOCUMENT NUMBER:		SI ENGINEER:	DESIGN ENGINEER	ENGINEERING MANAGER	
RSI-TMB-E8F2-1L1_01		R.Stavoli	P. Volkov	E.Soubh	
TEMPLATE FILENAME: SPM[SIZE_A](V.1).DO				1[SIZE_A](V.1).DOC	




## 4.0 SIGNAL INTEGRITY RESULTS (INDUSTRY LEADING SUPPLIER PCB ,8MIL DIELECTRIC THICKNESS)






# SIGNAL INTEGRITY REPORT



# <image>



REVISION: 1	ECN INFORMATION: EC No: N/A DATE: 04/ 07 / 2020	TITLE: 1.85mm Edge Launch, Solderless Precision Connector (TMB-E8F2-1L1) CARLISLE IT CONFIDENTIAL			<u>SHEET No.</u> 7 of 10
DOCUMENT NUMBER:		SI ENGINEER:	DESIGN ENGINEER	ENGINEERING MANAGER	
RSI-TMB-E8F2-1L1_01		R.Stavoli	P. Volkov	E.Soubh	
	TEMPLATE FILENAME: SPM/SIZE A/(			ISIZE AI(V.1).DOC	

